

KANAWHA COUNTY COMMISSION

P.O. Box 3627
Charleston, WV 25336
(304) 357-0115

Request for Quotations

Re: Firefighting Equipment for Kanawha County Fire Departments.

Date: February 10, 2012

Bid Opening: Bids must be received on or before Friday, February 24, 2012, at 11:45 a.m. in the Kanawha County Commission Purchasing Department located at 407 Virginia Street, East, Third Floor, Room 229, Charleston, WV 25301

INSTRUCTIONS TO BIDDERS:

***PLEASE USE THIS COVER SHEET FOR YOUR BID**

1. Bids must be received in a sealed envelope with the date and time of the bid opening on the outside of the envelope. Faxed bids will not be accepted.
2. Bid must be F.O.B. Delivery Point, unless otherwise indicated in proposal.
3. All bids should be signed and in ink, showing all facts and the total amount of the bid.
4. The Kanawha County Commission reserves the right to accept or reject, in part or in whole any bid submitted, whichever is in the best interest of the Kanawha County Commission.

Item No.	Description	Bid Amount
1	Firefighting Equipment for Kanawha County Fire Departments per the attached specifications	\$ _____

Vendor Name: _____

Address: _____

E-Mail Address: _____

Signature: _____

Date: _____

Telephone: _____

SPECIFICATIONS

KANAWHA COUNTY COMMISSION
CHARLESTON, WEST VIRGINIA

- ITEM:** Firefighting Equipment for Kanawha County Fire Departments
- LOCATION:** Various Fire Departments Located Throughout Kanawha County
- CONTACT:**
- | | |
|--|---------------------------|
| Jerie Whitehead | C.W. Sigman |
| Purchasing Director | Fire Coordinator |
| Kanawha County Commission | Kanawha County Commission |
| P.O. Box 3627 | P.O. Box 3627 |
| Charleston, WV 25336 | Charleston, WV 25336 |
| jeriewhitehead@kanawha.us | 304-357-0101 |
| (304) 357-0115 | |
- BID OPENING:** Bids must be received in a sealed envelope, with the date and time of the bid opening on the outside of the envelope, on or before Friday, February 24, 2011, at 11:45 a.m., at the Kanawha County Commission Purchasing Department, 407 Virginia Street, East, Third Floor, Room 229, Charleston, WV 25301 (P.O. Box 3627, Charleston, WV 25336). *Faxed bids will not be accepted.*
- SPECIFICATIONS:** The following specifications are intended to describe firefighting equipment for Kanawha County Fire Departments and the details contained in these specifications are not designed to exclude any vendor from bidding, but are offered as a means of describing the needs of the fire departments. Where brand names may be used, the words "or equal" are assumed to follow. All specifications are minimum requirements.

Firefighting Equipment for Kanawha County Fire Departments

There are thirty-two (32) fire departments located in Kanawha County, West Virginia. The bids are to be upheld for three hundred sixty-five (365) days (one calendar year) and are to be made available to any of the 32 Kanawha County fire departments who may wish to purchase equipment from this contract.

All equipment where applicable will meet current NFPA Standards. All fire departments in Kanawha County WV will be able to purchase off of this bid for a period of one year of the acceptance date. Please provide pricing for one (1) each and record total bid amount for all items on the coversheet.

- 2 ½ inch NST fog nozzle with play pipe and shut off with minimum flow of 250 GPM at 100 PSI.
- 2 ½ inch NST smooth bore with stack tips (1"x 1 1/8 "x1 ¼") with play pipe and shut off
- 1 ½ inch NST combination nozzle Akron High Range Saber Jet or equivalent. Must have a combination fog nozzle setting of 100 GPM at 100 PSI and a smooth bore tip of 15/16 inch.
- 1 ½ inch NST fog nozzle with a flow of 95 GPM at 100 PSI with pistol grip, Akron Assault nozzle or equivalent.
- 1 inch NST fog nozzle with pistol grip
- Cellar nozzle for 2 ½ NST hose threads
- Foam inductor for 1 ½ hose NST minimum water flow of 95 GPM with foam inductor range of 1%, 3%, and 6% and be compatible with AFFF ATC (AR) foam.
- Six inch piston intake relief valve with a minimum full flow rating of 2,000 GPM with air bleeder cap and storz cap with chain.
- Hose clamp with mounting bracket for up to 6 inch hose
- Burst hose jacket for 2 ½ inch hose
- 4 inch flexible suction hose, 10 ft. lengths.

- Flat intake strainer for 4 inch suction hose
- Gated wye 4 inch storz to 2 2 ½ NST
- Gated wyes 2 ½ inch by 1 ½ x 1 ½ inch NST
- Double male hose adapters 2 ½ inch NST
- Double female hose adapters 2 ½ inch NST
- 3 inch NST double jacketed fire hose, white, yellow or red in color
- 3 inch NST extruded rubber fire attack hose, 50 ft. length, blue , red or yellow in color
- 2 ½ inch NST double jacketed fire hose, 50 ft. lengths, white, yellow or red in color.
- 2 ½ inch NST extruded rubber fire hose, 50 ft lengths, blue, red or yellow in color
- 1 ¾ inch NST double jacketed fire hose, 50 ft. in lengths, white, yellow or red in color
- 1 ¾ inch NST extruded rubber fire hose, 50 ft. in lengths, blue, red or yellow in color
- 1 ½ inch NST double jacketed fire hose, 50 ft. in lengths, white, yellow or red in color
- 1 ½ extruded rubber fire hose, 50 ft. lengths, blue, red or yellow in color
- Hydrant wrenches, must fit coupling 1 ½ inch to 6 inch and adjust to pentagon nuts from 1 ¼ inch to 1 ¾ inch
- Stortz wrenches for 4 inch and 5 inch supply hose
- 4 inch to 5 inch stortz adapter
- 2 ½ inch NST to 5 inch stortz adapters
- 2 ½ inch NST to 4 inch storz adapters
- 2 ½ inch NST by 2 ½ x 2 ½ inch NST gated wye
- Electric cord reels, 18 inch manual live cord reel, with 6 ft. cord to connect, twist lock plugs and to be able to carry 300 amps.
- Portable electric light with mount, weather proof, corrosion resistant, 110 volt, w 500 watt halogen lamp and tip proof base.
- Electric smoke ejector with minimum 16 fan blades , 1/3 horsepower 3,200 cubic feet a minute air flow. Priced separately a flex duct and adapter 16 inch diameter by 15 ft in length to be attached to smoke ejector
- Gasoline powered portable blower (PPV Fan) with minimum 21 inch blades, 20,000 cubic feet per minute output, flip up handle and foot operated tilt.
- Combination ladders to be used as either extension or step ladder 9ft length minimum
- Rechargeable lantern with swivel neck that pivots up to 90 degrees and with 360 degree rotation, non-conductive outer shell, battery life of up to 500 charges, shoulder strap, lens rings and vehicle mount 12 volt charger, with bi-pin bulb
- TAC stick or equivalent to test for presence of electrical current
- Salvage covers 14 ft. by 18 ft. canvass
- Pike poles, 6 ft. fiberglass handle
- Pike poles, 8 ft. fiberglass handle
- Pike poles, 10 ft. fiberglass handle
- K-tools, 3 inch by 3 inch by 1 inch
- Water based 2 ½ gallon stored pressure fire extinguisher with mount
- Fire extinguishers with mounts, 10 pound B:C rated
- Haligan bar, 36 inch with mount
- Dry wall hook, 6 ft. with D handle
- Mounting brackets for 2 ½ NST appliances
- Mounts for tools (toolok) yellow elastomer locking strap tool holder with grip range 1/8 inch to 1 ½ inch

- Hose hoist / edge protector
- Hydra ram or equivalent for forcible entry

TERMS & CONDITIONS:

Real Estate and Personal Property Taxes: "No bid will be accepted or opened on any County contract if the vendor is listed on the last published list of delinquent real or personal property taxes in Kanawha County; however, the Commission will accept bids by vendors who provide satisfactory proof of payment of current taxes or a certification from the Sheriff that no taxes are due prior to submission of said bid."

Required Forms: Vendor shall complete and submit, or have on file with the County, a Vendor Registration and Disclosure Statement Form.

Once bids are unsealed, all bid documents become Public Record. The Kanawha County Commission reserves the right to reject any and/or all bids and to waive any informality in bidding.